

M912 Sales Kit

2008



With Swivel **M912** ,
Let's Turn the World Around !

GIGABYTE

M912 Key Features



**8.9" 1280x768/
1024x600 TFT LCD**



Intel® Atom 1.6GHz



802.11 b/g mini card



Bluetooth 2.0



**Dimension (WxDxH)
235x180x28~42mm**



**2.5" 95mm SATA
80/120/160/250 GB**



Intel® 945GSE



1.3M pixels Webcam



1.3 kg



**SO-DIMM x 1
Max 1GB**



SD Card



**Battery life 3.5 Hrs
By Li-Ion 4500mAh**



M912 Product Highlight



**1.3M Pixels
Web Camera**



**Easy upgrade for
Memory & HDD**



**Express Card Slot
SD card reader**




Touch Screen




Swivel Display

- **True mobility, 1.3 Kg with 8.9" TFT LCD display**
- **Sophisticated and fashionable appearance**
- **Swivel display by convertible design**
- **2.5" SATA hard disk with the max capability of 250GB**
- **Built-in Express Card slots, with option for HSDPA expansion**
- **1.3M pixels web camera**
- **Easy upgrade for memory and HDD extension**

M912 I/O Port



- 01 Web Cam
- 02 Touch Panel Screen
- 03 Swivel Pivot
- 04 Keyboard
- 05 Touch Pad
- 06 Status Indicator



- 01 Power Button
- 02 USB
- 03 USB
- 04 Earphone out
- 05 Mic-in
- 06 D-Sub
- 07 DC-in



- 01 Kensington lock
- 02 RJ45
- 03 USB
- 04 Express card slot
- 05 Media card slot

M912 Specification





Processor	Intel® Atom N270 1.6GHz Processor, (Intel® Dimondville 1.6GHz Processor)
OS & S/W	Windows XP / Vista Home Basic compliance / Linux compliance
BIOS	1024K BB Flash ROM
Chipset	Intel® Calistoga 945GSE + ICH7M
Main Memory	Zero on board and one DDRII SO-DIMM memory slot, 1GB DDRII-667 SO-DIMM X 1, Max 1GB
LCD Display	8.9" Touch screen TFT-LCD WXGA, 1280x768 (or WSVGA 1024x600) as 180° rotation angle
Graphics	Integrated in Intel® 945GSE graphics controller
Hard Disk Drive	One 2.5" 9.5mm SATA HDD 5400 rpm support, Supported capacities of 80/120/160/250 GB
Optical Disk Drive	External ODD by USB connection (Optional)
Bluetooth	Bluetooth : Bluetooth 2.0+EDR
LAN & WLAN	Ethernet 10/100 Base T, IEEE 802.11b/g WLAN by mini card, 3.5G by Express card
Interface I/O Port	Media Card Slot (SD/MMC/MS) * 1, USB * 3, Audio Jack * 2 (Mic-in and Headphone out), Express Card (Mini PCIe)* 1, VGA D-Sub * 1, DC-in *1
Audio	Build in High Definition Audio, Build in two 1.5W stereo speakers, Build in internal MIC
Input Devices	Keyboard / touchpad, Touch screen with stylus
Card Reader	Support Media card slot (SD/MMC/MS) * 1
WebCam	1.3M Pixel CMOS webcam integrated.
Keyboard	Integrated. (80-key US with Windows function keys)
Battery Pack & Life	Li-Ion 4 cells,4500mAh/cell, Battery life up to 3.5 hrs
Dimensions/Weight	Dimensions :235(W) x 180(D) x 28~42(H)mm Weight: ~1.3kg (with 4-cells battery)
Security	Kensington lock hole

M912 Shipping Spec




注意事項：
1. 外箱標示為外尺寸(單位: mm)



***20' Container Total :1080 pcs**

20-FOOT CONTAINER(TOP VIEW)




CONTAINER DOOR

CONTAINER INFORMATION :
OUTSIDE SIZE : 20' X 8' X 8'6"
INSIDE DIMENTION : L:5898xD:2352dH:2385mm
DOOR OPENING : H:2385mm

***40' Container Total :2160 pcs**

40-FOOT CONTAINER(TOP VIEW)



C

CONTAINER INFORMATION :
OUTSIDE SIZE : 40' X 8' X 8'6"
INSIDE DIMENTION : L:12052xD:2352dH:2385mm
DOOR OPENING : H:2385mm